



TYPE APPROVAL CERTIFICATE 형 식 승 인 중 서

Certificate No.

: ITA20769-EL001

Date of Approval: 8th August, 2007.

Product

: Intrinsically Safe Isolators

Manufacturer

: G.M. International Srl

Via San Fiorano, 70 - 20058 Villasanta (MI) Italy

Product Description: Type : D1000 series

D1010S/D D1014S/D D1020S/D D1021S. D10120 D1030S/D D1130S/D D1031D/Q D1032D/Q, D1022S/D D1052S/D/X/Y. D1033D/Q D1034S/D D1035S D10400~430 D1063S, D1054S D1060S D1061S D1053S D1073S D1080D D1081D D1180D D1072S/D PSD1004 PSD1000F PSD1001 PSD1001C PSD1000

" See Appendix 1 & 2 "

Approval Condition: 1. This approval is granted on the basis of test report no. 2006-3120 rev. 02 and 57399 TRFEMC issued by Nemko S. p. A.

Product Certification is not required.

THIS IS TO CERTIFY that the above-mentioned product has been approved in accordance with the relevant requirement of this Society's Rules and / or of the recognized standards as follows and entered in the "List of Approved Manufacturers and Type Approved Equipment".

Pt. 6, Ch. 1, Section. 9 of the Rules for Classification, Steel Ships

This Certificate is valid until 7th August, 2012. Issued at Daejeon, Korea on 8th August, 2007.

KOREAN REGISTER OF SHIPPING

Park Moon-kyu

Park Moon-kyu

General Manager of Materials and Equipment Team

Note: 1: The approval will be automatically suspended and the Certificate become invalid from the expiry date of the Certificate in the event that the extension has not been granted or is not under attendance for completion of the renewal survey.

2: The manufacturer should notify this Society of any modification or changes that may affect the validity of this Certificate.

Product Description and/or Approval Condition

Certificate No: ITA20769-EL001 Date of Approval: 8th August, 2007.

Product Description:

Туре	Channal	Description	Reference Document No
Analog in	nput		
D1010S/D D1012Q D1014S/D D1054S	1/2Ch 4Ch 1/2Ch 1Ch	SIL2-SIL3 Repeater Power Supply Smart-Hart Compatible Quadruple Repeater Power Supply SIL3 Repeater Power Supply Hart Compatible Repeater Power Supply and Trip Amplifiers	DTS0016-11 DTS0189-4 DTS0181-6 DTS0183-3
Analog o	utput type		
D1020S/D D1021S	1/2Ch 1Ch	SIL2 Powered Isolating Driver Smart-Hart Compatible SIL2 Powered Isolating Driver Fault detction Smart-Hart compatible	DTS0017-7 DTS0133-7
D1022S/D	1/2Ch	Loop Powered Fire/Smoke Detector Interface	DTS0195-2
Digital	input		
D1030S/D D1130S/D D1031D/Q D1032D/Q D1033D/Q D1034S/D	1/2Ch 1/2Ch 2/4Ch 2/4Ch 2/4Ch 1/2Ch	DC Power Switch/Proximity Detector Repeater, Relay Out AC Power Switch/Proximity Detector Repeater, Relay Out Switch/Proximity Detector Repeater, Transistor Out SIL2 Switch/Proximity Detector Repeater, Relay Out SIL2 Switch/Proximity Detector Repeater, Transistor Out SIL3 Contact/Proximity Detector Interface	DTS0020-7 DTS0173-6 DTS0023-8 DTS0148-5 DTS0151-7 DTS0182-5
Digital (Output		
D1040Q~43Q		SIL2/SIL3 Digital Out Loop/Bus Powered to Drive solenoid/LED/Horn	DTS0038-6
Signal Co	onverter a	nd Trim Amplifier	
D1035S D1052S/D D1052X/Y D1053S D1060S	1Ch 1/2Ch 1/2Ch 1Ch 1Ch	Frequency-Pulse Isolating Repeater mA-V Input, mA-V Output, SW Programmable Analog Signal Converter Duplicator/Selector, Adder, Subtractor Analog Signal Converter and Trip Amplifier Frequency-Pulse Converter, Repeater, Trip Amplifier	DTS0040-6 DTS0040-6 DTS0041-6 DTS0162-5
Serial L	ine Conver	ter	
D1061S	1Ch	RS 422 / RS 485 Fieldbus Isolating Repeater	DTS0184-3
Load Cell	Isolator	Converter	
D1063S	1Ch	Strain Gauge Bridge Isolating Repeater	DTS0185-3
Temperatu	ire Conver	ter	
D1072S/D D1073S	1/2Ch 1Ch	SIL2 Temperature Signal Converter Temperature Converter and Trip Amplifiers	DTS0025-9 DTS0043-8

Appendix 2

Product Description and/or Approval Condition

Certificate No: ITA20769-EL001 Date of Approval: 8th August, 2007.

Туре	Channa I	Description	Reference Document No
Flammable	Liquid F	Presence Detector - Interface	
D1080D		Flammable Liquid Presence Detector Interface Relay Output	DTS0178-4
D1081D		Flammable Liquid Presence Detector Interface Transistor Output	DTS0179-4
D1180D		Flammable Liquid Presence Detector Interface Transistor Output	DTS0180-4
Power Supp	pliy		
PSD1000		Universal AC input 24V-500mA Switching Power Supply	DTS0165-4
PSD1000F		Universal AC input 24V-500mA Switching power supply with Fault Relay	DTS0165-4
PSD1001	4Ch	15V-20mA Intrinsically Safe Power Supply	DTS0145-5
PSD1001C	1Ch	10V-150mA Intrinsically Safe Power Supply	DTS0187-2
PSD1004		Instinsically Safe 5V Supply Module	DTS0191-0

< End of Page >