Solution to Abnormal Display of Chinese Character on MT8000/6000

1. Situation: Chinese character display is abnormal, for example, characters are shown in wrong symbols, as shown in picture 1;

] [] []
0000
[

picture 1

- 2. Cause:
 - 2.1. Chinese fonts are not added to the font library. As shown in picture 2;

System Parameter Settings		
Device Model General Security Font	Extended Memory Printer Server	
Fonts for non-ascii strings		
	Add	
	Delete	
	Delete All	

picture 2

2.2. The selected Chinese font is invalid, as shown in picture 3;

R EasyBuilder8000 : win.mtp - [10 - WINDOW_010]	
EB File Edit View Option Draw Objects Library Tools Window	w Help
🔁 🖻 🔒 👗 🖻 🖻 ≏ 🗠 🚭 የ 🐶 🗛 🔟 本	🛠 💆 🕎 🛄 💋 📆 🏢 🚺 1 2 3 4 🕨 State 0 🔹
Times New Roman 🔹 16 🔂 🖧 🕒 🔂	田田田 〒♀弐市☆@ ミ丼 早田部第 ∢∧∧々 兄母
📃 🗟 🛱 🚓 🥅 陽 😭 🏘 🕼 🛈 💹 🗎 🕁	🗕 🎱 🔡 🔠 🕼 📄 ! 💡 📲 🗂 😫 🔷 🔫 🖃 아 🚥 🎹 💷 🛞
Christ list	
Collect list Collect list Collect list	
- 3: Fast Selection - 4: Common Window	valid Chinese font
vo 5: PLC Response	
- 6: HMI Connection	
O: Chavene Concertantificiant	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	······································
☆ 13 以成实	<i>欢迎使用</i>
<u>ماند</u> 15	
∧ 16	
	<i>近量求发展 ****</i> ********************************
	初青泪落于冬毒炙弦
20	——————————————————————————————————————
	<mark> <u> </u></mark>
- 22 	
24	正在启动操作系统
- 25	
	· · · · · · · · · · · · · · · · · · ·
▶ _ 29	· · · · · · · · · · · · · · · · · · ·
🕎 30	<mark> </mark>
21	

picture 3

3. Solution:

3.1. Add new Chinese fonts to the font library, as shown in picture 4.

ice Model General Security	Font	Extended Memory	Printer Server	
nts for non-ascii strings				
			Add	1
3			Delete	
			Delete All	ו
Select a font				
				-
Font name :			•	-
2 6		ок	Cancel	

picture 4

3.2. Select a valid Chinese font, as shown in picture 5;

File Edit View Option Drav	
🖻 🖬 X 🖻 🖻 🗅 🗠	😂 🔋 🕅 🧏 🧱 🧕 🛄 本 🤅 🛠 🧱 🧱 🖉 🖉 🔛 🚺 🚺 1 2 3 🔹 🕨 State 0 🔹
s New Roman 🛛 👻 16	▲ A 臣 王 王 I A · U Language 1 · L1 L2 L3 L4 : 4 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日
i 🗠 🛃 🍫 🔜 🚾 🖪	= 🔚 🚥 🖳 🗉 🕥 ! 🖳 स्ति 🛱 🚓 🧰 ! 🐂 🔛 💠 💱 📖 🔿 🔯 🖽 📥 🛶 🎱 🖾 H D. 🖮
	10 - Description X
Doject list	
3: Fast Selection	Solver Chinese font, for example"宋体"
- 4: Common Window	
5: PLC Response	
6: HMI Connection	
 7: Password Restriction 8: Window 8 	
9	· · · · · \ · · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
11: Popup Menu	
12: Clock	
- 13: Scheduler	<i>双迎使用</i>
- 14: System Setting	
15: Bar Graphs	
- 16	
17: Animation	· · · · · · · · · · · · · · · · · ·
 18: AutoAnimation 19 	
20: ScreenSaver	┃
20. 50 66 15 8 46	
- 22	
- 23	「「大白井根佐女佐」
24: Trend Graphs	·····································
25: Trend Data	
- 26	
- 27	· · · · · · · · · · · · · · · · · · ·
28: Alarms 29	· · · · · · · · · · · · · · · · · · ·
29 30: Alarm 0	
- 31: Alarm 1	
32: Alarm 2	
33: Normal	
- 34	Copyright © 2009 👘 EN
- 35: Event Display	

4、 Result: Chinese characters are normally displayed.



picture 6